

Built From The Inside-Out To Last!



SCAN FOR VIDEO


- Compression Molded
- Non-Corrosive Durability
- Limited Lifetime Warranty
- Non-Metallic Composite Material
- OceanSide® Approved
- Withstand Harsh Weather

OCEANSIDE® APPROVED




The OceanSide® icon indicates that this product meets an uncompromising set of standards for low-maintenance durability and harsh weather performance.

Our advanced engineering, pleasing designs and leading-edge technologies allow us to eliminate components that can fail due to rust, corrosion or exposure to extreme climates. OceanSide® Approved products are specifically designed from the INSIDE-OUT to meet the rigors of Nature's harshest environment.



S21SC-GY

EXTENDS:
9 1/4"
H/CTR:
11"
BACKPLATE:
7 1/4" x 5 3/8"




GUIDE: S21VF-BZ-PC

ITEM #	LENS	LIGHT SOURCE	COLOR	OPTION
S21S S21V	ACRYLIC C -Clear F -Frosted	INCANDESCENT (1) 60W MAX Medium Base	BK -Blackstone WH -Whitestone SN -Sandstone GY -Graystone BZ -Bronzestone	PC -Photocell (only available on S21V)
LED LIGHT SOURCE				
		120V LIGHTWAVE LED LR12-13W 1000lm	CCT C-4K W-3K	
		E26 MEDIUM BASE LED LE26-A19 800lm		

* PC only available S21V

Title 24 & GU24 Available
(call for details)



EXTENDS:
9 1/4"
H/CTR:
3 5/8"
BACKPLATE:
7 1/4" x 5 3/8"



S21VF-BZ




GUIDE: S21TC-LR12C-SN

ITEM #	LENS	LIGHT SOURCE	COLOR
S21T	ACRYLIC C -Clear F -Frosted	INCANDESCENT (1) 60W MAX Medium Base	BK -Blackstone WH -Whitestone SN -Sandstone GY -Graystone BZ -Bronzestone
LED LIGHT SOURCE			
		120V LIGHTWAVE LED LR12-13W 1000lm	CCT C-4K W-3K
		E26 MEDIUM BASE LED LE26-A19 800lm	

Title 24 & GU24 Available
(call for details)

S21TC-SN



Title 24 Available
(call for details)

STONE COLORS



★ Lamp Included
Energy Star Qualified Product


SPEC SHEETS AND IES FILES AVAILABLE ONLINE. Specifications subject to change without notice. LED option information on page 6.

WAVE LIGHTING • PHONE 877.870.WAVE (9283)

FULL SIZE LANTERNS



S11VL-WH



GUIDE: S11VC-LR12W-WH-PC

ITEM #	LENS	LIGHT SOURCE		COLOR	OPTION
S11V	ACRYLIC C-Clear F-Frosted L-Opal	INCANDESCENT (1) 100W MAX Medium Base		BK-Blackstone	PC-Photocell (GU24 & LED only)
		LED LIGHT SOURCE		WH-Whitestone	
		120V LIGHTWAVE LED		SN-Sandstone	
		LR12-13W 1000lm	CCT	GY-Graystone	
		LR15-15W 1400lm	C-4K	BZ-Bronzestone	
E26 MEIUM BASE LED		W-3K			
LE26-A19 800lm					

EXTENDS:
12 3/4"
H/CTR:

EXTENDS:
12 3/4"
H/CTR:
5 1/4"
BACKPLATE:
10 5/8" x 5 1/2"


Title 24 & GU24 Available
(call for details)



GUIDE: S11SC-LR15C-SN

ITEM #	LENS	LIGHT SOURCE	COLOR
S11S	ACRYLIC C-Clear F-Frosted L-Opal	INCANDESCENT (1) 100W MAX Medium Base	BK -Blackstone WH -Whitestone SN -Sandstone GY -Graystone BZ -Bronzestone
		LED LIGHT SOURCE	
		120V LIGHTWAVE LED LR12-13W 1000lm LR15-15W 1400lm	
		E26 MEDIUM BASE LED LE26-A19 800lm	


Title 24 & GU24 Available
(call for details)



EXTENDS:
12 3/4"
H/CTR:
21 1/4"
BACKPLATE:
10 5/8" x 5 1/2"



S11TF-BK



GUIDE: S11TC-LR12W-BK

ITEM #	LENS	LIGHT SOURCE	COLOR
S11T	ACRYLIC C-Clear F-Frosted L-Opal	INCANDESCENT (1) 100W MAX Medium Base	BK -Blackstone WH -Whitestone SN -Sandstone GY -Graystone BZ -Bronzestone
		LED LIGHT SOURCE	
		120V LIGHTWAVE LED LR12-13W 1000lm LR15-15W 1400lm	
		E26 MEDIUM BASE LED LE26-A19 800lm	

Title 24 & GU24 Available
(call for details)



Posts accommodate Photo Control 320 or 688. See page 69. Posts sold separately.

SPEC SHEETS AND IES FILES AVAILABLE ONLINE. Specifications subject to change without notice. LED option information on page 6.

FAX 330.630.1994 • WWW.WAVELIGHTING.COM




GUIDE: S26SL-LE26-BK

ITEM #	GLOBE	LIGHT SOURCE	COLOR
S26S	ACRYLIC	INCANDESCENT	BK-Blackstone
S26V	C-Clear Prismatic	(1) 60W MAX Medium Base	WH-Whitestone
	L-Opal	LED LIGHT SOURCE	SN-Sandstone
		E26 MEDIUM BASE LED	GY-Graystone
		LE26-A19 800lm ☆	BZ-Bronzestone
		CCT	
		C-4K	
		W-3K	




S26SL-BK



EXTENDS:
9 1/4"
H/CTR:
8 3/4"
BACKPLATE:
7 1/4" x 5 3/8"



S26VC-SN




EXTENDS:
9 1/4"
H/CTR:
3 5/8"
BACKPLATE:
7 1/4" x 5 3/8"

Title 24 & GU24 Available
(call for details)



S26TC-WH



GUIDE: S26TC-WH

ITEM #	GLOBE	LIGHT SOURCE	COLOR
S26T	ACRYLIC	INCANDESCENT	BK-Blackstone
	C-Clear Prismatic	(1) 100W MAX Medium Base	WH-Whitestone
	L-Opal	LED LIGHT SOURCE	SN-Sandstone
		E26 MEDIUM BASE LED	GY-Graystone
		LE26-A19 800lm ☆	BZ-Bronzestone
		CCT	
		C-4K	
		W-3K	

Title 24 & GU24 Available
(call for details)

STONE COLORS



Posts accommodate Photo Control 320 or 688. See page 69. Posts sold separately.

SPEC SHEETS AND IES FILES AVAILABLE ONLINE. Specifications subject to change without notice. LED option information on page 6.

EVERSTONE ACORNS




GUIDE: S27SC-BK

ITEM #	GLOBE	LIGHT SOURCE	COLOR
S27SC	POLYCARBONATE Clear Textured	INCANDESCENT (1) 60W MAX Medium Base	BK -Blackstone
		LED LIGHT SOURCE	WH -Whitestone
		E26 MEDIUM BASE LED LE26-A19 800lm ☆	SN -Sandstone
		CCT C-4K W-3K	GY -Graystone

Title 24 & GU24 Available
(call for details)




S27SC-BK



EXTENDS:
9 1/4"
H/CTR:
13 3/4"
BACKPLATE:
7 1/4" x 5 3/8"



S27TC-GY



GUIDE: S27TC-WH

ITEM #	GLOBE	LIGHT SOURCE	COLOR
S27TC	POLYCARBONATE Clear Textured	INCANDESCENT (1) 100W MAX Medium Base	BK -Blackstone
		LED LIGHT SOURCE	WH -Whitestone
		E26 MEDIUM BASE LED LE26-A19 800lm ☆	SN -Sandstone
		CCT C-4K W-3K	GY -Graystone

Title 24 & GU24 Available
(call for details)

WALL PACK LANTERNS




GUIDE: S32WC-LR12C-BK-PC

ITEM #	DIFFUSER	LIGHT SOURCE	COLOR
S32W	ACRYLIC C-Clear Prismatic L-Opal	INCANDESCENT (1) 60W MAX Medium Base	BK -Blackstone
		LED LIGHT SOURCE	WH -Whitestone
		120V LIGHTWAVE LED LR12-13W 1000lm ☆	SN -Sandstone
		LR15-15W 1400lm ☆	GY -Graystone
		E26 MEDIUM BASE LED LE26-A19 800lm ☆	BZ -Bronzestone
		120-277V MULTI-VOLT LED L11-11W 912lm	CCT 4K

Title 24 & GU24 Available
(call for details)

S32WC-BK



EXTENDS:
4"
H/CTR:
7 1/2"
BACKPLATE:
13 7/8" x 6 3/4"



☆ Lamp Included

Energy Star Qualified Product

SPEC SHEETS AND IES FILES AVAILABLE ONLINE. Specifications subject to change without notice. LED option information on page 6.

FAX 330.630.1994 • WWW.WAVELIGHTING.COM



S33WN-SN



(N) No Insignia



(L) Lighthouse



(T) Turtle





***Custom**
(consult factory for details)

- Florida Wildlife Certified with Amber LED Light Source
- Meets Standards for Beachfront, Turtle Safe Lighting
- 100% Cut-Off - Complies with Dark Sky Standards
- Available with No Insignia, Lighthouse, Turtle, or Custom Insignia
- Non-Corrosive Hardware




GUIDE: S33WL-L9-SN-PC


ITEM #	INSIGNIA	LIGHT SOURCE	COLOR
S33W	N -No Insignia	INCANDESCENT (1) 60W MAX Medium Base	BK -Blackstone
	L -Lighthouse		WH -Whitestone
	T -Turtle		SN -Sandstone
			GY -Graystone
			BZ -Bronzestone
		LED LIGHT SOURCE	
		120V LIGHTWAVE LED LR12-13W 1000lm 	CCT C-4K
		E26 MEDIUM BASE LED LE26-A19 800lm 	W-3K
		120-277V MULTI-VOLT LED L11-11W 912lm	CCT 3K
		120-277V AMBER LED L9*-A19 470lm, 585-595nm	

Customizable
Insignia Available.
Consult factory for
details.

Title 24 & GU24 Available
(call for details)



S33WL-L9-SN



EXTENDS:
4"
H/CTR:
7 3/4"
BACKPLATE:
14 1/8" x 6 3/4"



***FLORIDA WILDLIFE
CERTIFIED LIGHTING**

 **Lamp Included**
Energy Star Qualified Product

SPEC SHEETS AND IES FILES AVAILABLE ONLINE. Specifications subject to change without notice. LED option information on page 6.

WAVE LIGHTING • PHONE 877.870.WAVE (9283)